

# DIO WANNA HAVE FUN?



\*The above TFT image is of Dio 125.

INTRODUCING

**Dio 110** | **Dio 125**

## EXPERIENCE FUN LIKE NEVER BEFORE.

*Honda Dio 110 and Dio 125 are the perfect rides to make the most of your day and have fun all the way. They're powerful, and power-packed with world-class features. They're comfortable and commanding. They're style personified. But most of all, they promise a smooth, efficient, and fun experience, every single time.*



# DIO WANNA HAVE FUN WITH **NEW** TECHNOLOGY?

**TFT METER** 10.67 cm


**DIO 110** | **DIO 125**

Advanced and interactive, the TFT meter provides real-time and average fuel efficiency, and range (distance to empty), keeping you always informed.

REAL-TIME MILEAGE

RANGE  
(DISTANCE TO EMPTY)

AVERAGE MILEAGE



\*Image reference is for Dio 125.

Dio  
125



# Honda RoadSync

*Stay connected effortlessly with the Honda RoadSync app.  
Seamlessly link your smartphone to your Dio 125 via Bluetooth.  
And enjoy a smooth, hassle-free ride while accessing essential  
features right at your fingertips.*

*Manage  
messages via  
voice commands*



*Use turn-by-turn  
navigation to reach  
anywhere*



*Get real-time  
weather updates  
for any location*



*Manage and make  
calls directly from  
your Dio 125*



*Enjoy easy  
music control*



**Dio  
125**

# *Smart Key*

With **H-Smart** Technology

Unlock a smarter ride with our H-Smart technology and experience the ultimate convenience and security with the Honda Smart Key.

## **Smart SAFE**

Your Dio 125 stays secure, even when you're not around.

## **Smart FIND**

Searching for your ride in a crowded parking or low-light conditions can be frustrating and the answer back feature solves it.

## **Smart UNLOCK**

No need to fumble for your key- Honda Smart Key makes unlocking effortless.

## **Smart START**

Start your Dio 125 without even taking the key out of your pocket.



\*Smart Key is available in Dio 125 H-Smart variant only.

**Dio  
110**


## **IDLING STOP SYSTEM**



*Dio 110's Idling Stop System automatically shuts down the engine during brief stops, reducing unnecessary fuel consumption, and easing rider fatigue.*

**Dio  
125**

## **ADVANCED IDLING STOP SYSTEM**




*The Advanced Idling Stop System on Dio 125 takes fuel efficiency and convenience to the next level as it automatically cuts-off the engine below a certain speed and seamlessly restarts the engine when the rider pulls-up the throttle again.*



**D10  
110**


**D10  
125**

## **SIDE STAND ENGINE CUT-OFF\***



It automatically shuts off the engine for added safety when the side stand is engaged.

## **SILENT START WITH ACG**



The ACG Starter provides a smooth, silent start every time, and reduces engine maintenance.

## **PGM-FI FUEL INJECTION**

The PGM-FI system optimizes fuel and air for efficient combustion, ensuring steady power and better mileage.

\*Side stand is a part of genuine standard accessories.

**DIO** WANNA  
HAVE FUN WITH  
**COMFORT?**



**Dio  
110**


**Dio  
125**

## USB TYPE-C CHARGING




With the built-in USB Type-C charger, never ever worry about your phone's battery running out.

## DOUBLE-LID EXTERNAL FUEL FILL




Now no need to get up to get your Dio refilled with a double-lid external fuel fill.



**D10  
110**

**D10  
125**

## PASSING SWITCH



Pass like a boss with an easy-to-use passing switch for high beam, low beam, and passing with a flick.

## RETRACTABLE PILLION FOOT STEP



Convenient and easy to use, so that the comfort of those sitting behind is always at the forefront.

## FRONT POCKET



A pocket that's amazingly spacious. So, whether it's your sipper or sunglasses, keep all your essentials close.

**DIO  
125**

## **MULTI-FUNCTION UNIT\***



Safety meets style, style meets convenience. An iconic sleek, blue back-lit knob that elevates your ride and ride quality.

## **TELESCOPIC SUSPENSION**



Say goodbye to bumpy rides! Our telescopic suspension features dual hydraulic shock absorbers with internal coil springs, designed for minimum vibrations, maximum comfort.

## **12-INCH FRONT WHEEL**



Our 12-inch wheels are designed to tackle tough terrains with ease, giving you effortless clearances and enhanced confidence.

\*Available only in H-Smart variant.

**DIO** WANNA  
HAVE FUN WITH

**STYLE?**



**Dio  
110**

## **SPLIT GRABRAIL**



*A bold, sleek grabrail that grabs attention from the first glance onwards.*

## **SPORTY MUFFLER**



*A stylishly cool muffler protector on Dio 110 to up the style.*



*A thunderous sound for a thunderous entry. Dio 125's dual-tip muffler announces your arrival before you even arrive.*

## **ALLOY WHEELS**



*These alloy wheels combine stylishness with unmatched comfort.*

**Dio  
110**

**Dio  
125**

## SPORTY DISC BRAKE

Only for Dio 125



High-performance disc brakes fitted in sleek alloy wheels, perfect for those who like to stay stylishly in command.

## POSITION LAMP

The distinctive LED lamp enhances the bold look while adding a touch of flair to your style.



## FIERCE LED HEADLAMP

For trendsetters who own the night, the sleek LED lights provide a bright, clear view of the road ahead.



# **DIO** WANNA HAVE FUN WITH **COLOURS?**

**DIO**  
**110**



**IMPERIAL RED  
METALLIC**

**MAT MARVEL  
BLUE**



**MAT AXIS  
GRAY METALLIC**

**PEARL IGNEOUS  
BLACK**



**PEARL IGNEOUS BLACK +  
PEARL DEEP GROUND GRAY**

**DIO**  
**125**

**MAT MARVEL BLUE METALLIC**



**PEARL DEEP GROUND GRAY  
(EMBLEM)**

**PEARL SPORTS YELLOW**



**PEARL DEEP GROUND GRAY  
(STRIPE)**

**IMERIAL RED**



**PEARL IGNEOUS BLACK**

AVAILABLE IN 2 DIFFERENT VARIANTS



| Features                                                | STD | DLX |
|---------------------------------------------------------|-----|-----|
| TFT Meter                                               | x   | ✓   |
| Eco Indicator                                           | x   | ✓   |
| Real-Time Fuel Efficiency                               | x   | ✓   |
| Average Fuel Efficiency                                 | x   | ✓   |
| Range (Distance To Empty)                               | x   | ✓   |
| Alloy Wheels                                            | x   | ✓   |
| Periodic Maintenance Indicator                          | x   | ✓   |
| Automatically Adjustable Meter Light & Dark Theme Modes | x   | ✓   |
| Universal USB-C Type Charging                           | OP  | ✓   |
| Idling Stop System With Turn Off Switch                 | ✓   | ✓   |
| Double-Lid External Fuel Fill                           | ✓   | ✓   |
| Glove Box                                               | ✓   | ✓   |
| ACG Silent Start                                        | ✓   | ✓   |
| CBS With Equalizer                                      | ✓   | ✓   |



| Features                                                | DLX | H-SMART |
|---------------------------------------------------------|-----|---------|
| Multi-Function SMART Switch Unit                        | x   | ✓       |
| Smart Key                                               | x   | ✓       |
| Smart Find                                              | x   | ✓       |
| Smart Unlock                                            | x   | ✓       |
| Smart Safe                                              | x   | ✓       |
| Smart Start                                             | x   | ✓       |
| Bluetooth Connectivity                                  | x   | ✓       |
| Honda RoadSync App                                      | x   | ✓       |
| Turn By Turn Navigation With Voice Assist               | x   | ✓       |
| Calling                                                 | x   | ✓       |
| Message - Answer Back                                   | x   | ✓       |
| Weather Forecast                                        | x   | ✓       |
| Music Control Through TFT                               | x   | ✓       |
| TFT Meter                                               | ✓   | ✓       |
| Eco Indicator                                           | ✓   | ✓       |
| Real-Time Fuel Efficiency                               | ✓   | ✓       |
| Average Fuel Efficiency                                 | ✓   | ✓       |
| Range (Distance To Empty)                               | ✓   | ✓       |
| Alloy Wheels                                            | ✓   | ✓       |
| Universal USB-C Type Charging                           | ✓   | ✓       |
| Adv. Idling Stop System With Turn Off Switch            | ✓   | ✓       |
| Double-Lid External Fuel Fill                           | ✓   | ✓       |
| Glove Box                                               | ✓   | ✓       |
| ACG Silent Start                                        | ✓   | ✓       |
| CBS With Equalizer                                      | ✓   | ✓       |
| Disc Brakes                                             | ✓   | ✓       |
| Periodic Maintenance Indicator                          | ✓   | ✓       |
| Automatically Adjustable Meter Light & Dark Theme Modes | ✓   | ✓       |

## TECHNICAL SPECIFICATION<sup>+</sup>

## Body Dimensions

|  Body Dimensions | 110 cc             | 125 cc                       |
|---------------------------------------------------------------------------------------------------|--------------------|------------------------------|
| Length                                                                                            | 1808 mm            | 1830 mm                      |
| Width                                                                                             | 677 mm             | 707 mm                       |
| Height                                                                                            | 1151 mm            | 1172 mm                      |
| Wheel Base                                                                                        | 1260 mm            | 1260 mm                      |
| Ground Clearance                                                                                  | 160 mm             | 171 mm                       |
| Seat Length                                                                                       | 650 mm             | 708 mm                       |
| Kerb Weight                                                                                       | Std. & Dlx: 106 kg | 104 kg (Smart), 105 kg (Dlx) |
| Fuel Tank Capacity                                                                                | 5.3 L              | 5.3 L                        |

## Engine

|  Engine |                      |                      |
|------------------------------------------------------------------------------------------|----------------------|----------------------|
| Type                                                                                     | 4 Stroke, SI Engine  | 4 Stroke, SI Engine  |
| Displacement                                                                             | 109.51 cc            | 123.92 cc            |
| Max Net Power                                                                            | 5.85 kW @ 8000 rpm   | 6.11 kW @ 6500 rpm   |
| Max Net Torque                                                                           | 9.03 N-m @ 5500 rpm  | 10.5 N-m @ 5000 rpm  |
| Bore                                                                                     | 47.0 mm              | 50.0 mm              |
| Stroke                                                                                   | 63.121 mm            | 63.113 mm            |
| Fuel System                                                                              | PGM - FI             | PGM - FI             |
| Compression Ratio                                                                        | 10.0:1               | 10.0:1               |
| Air Filter Type                                                                          | Viscous Paper Filter | Viscous Paper Filter |
| Starting Method                                                                          | Kick / Self          | Self                 |

## Transmission

| Transmission |                                       |                                       |
|--------------|---------------------------------------|---------------------------------------|
| Clutch Type  | Automatic Centrifugal Clutch Dry Type | Automatic Centrifugal Clutch Dry Type |

## Tyres & Brakes

|  Tyres & Brakes |               |               |
|----------------------------------------------------------------------------------------------------|---------------|---------------|
| Tyre Size (Front)                                                                                  | 90/90-12 54J  | 90/90-12 54J  |
| Tyre Size (Rear)                                                                                   | 90/100-10 53J | 90/100-10 53J |
| Tyre Type (Front)                                                                                  | Tubeless      | Tubeless      |
| Tyre Type (Rear)                                                                                   | Tubeless      | Tubeless      |
| Brake Type & Size (Front)                                                                          | Drum - 130 mm | Disc - 190 mm |
| Brake Type & Size (Rear)                                                                           | Drum - 130 mm | Drum - 130 mm |

## Frames & Suspensions

| Frames & Suspensions |            |                                           |
|----------------------|------------|-------------------------------------------|
| Frame Type           | Underbone  | Underbone                                 |
| Front                | Telescopic | Telescopic                                |
| Rear                 | Unit Swing | 3-Step Adjustable Spring Loaded Hydraulic |

## Electricals

|  <b>Electricals</b> |        |        |
|--------------------------------------------------------------------------------------------------------|--------|--------|
| System Voltage                                                                                         | 12V    | 12V    |
| Battery                                                                                                | 5.0 Ah | 5.0 Ah |
| Head Lamp                                                                                              | LED    | LED    |

The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • Range (distance to empty), real time and average mileage readings may vary as per the variant and riding conditions • Dio 110 and Dio 125 meets Bharat stage VI OBD-2B norms • Product shown in the picture may vary from the actual product available in the market • Accessories shown in the picture are not part of the standard equipment • All features and colours may not be part of all variants • \*Conditions apply.

**Honda Motorcycle and Scooter India Pvt. Ltd.**

**Registered Office:** Plot No. 1, Sector-03, IMT Manesar, Distt. Gurugram- 122050 (Haryana)

**Tel:** +91(0)124-2290011, +91(0)6712800, **Fax:** +91(0)124-6712999

**Visit us at:** [www.honda2wheelersindia.com](http://www.honda2wheelersindia.com) **Customer Care:** [customercare@honda.hmsi.in](mailto:customercare@honda.hmsi.in)

Follow us at :  [honda2wheelers.in](https://www.facebook.com/honda2wheelers.in)  [honda2wheelerin](https://www.instagram.com/honda2wheelerin)  [honda2wheelersin](https://www.youtube.com/channel/UCv33333333333333333333)  [honda2wheelerin](https://twitter.com/honda2wheelerin)

### Dealer Stamp

**Pattnajak Honda**  
At Nayagarh, main road, Atto Gurgaprasad, Sinduria Gurgaprasad  
Nayagarh